

**OSVEH** Asia

**LCP Plates**



# OSVEH Asia

## LCP Calcaneal Plate 3.5

### Specification:

*Thickness 1.2 mm*



### Sizes:

Product No.		Length mm	
Stainless Steel	Titanium		
273.060	573.060	60	right
273.070	573.070	70	right

Product No.		Length mm	
Stainless Steel	Titanium		
274.060	574.060	60	left
274.070	574.070	70	left

### Note:

Fixation with the following Screws:

4.0 mm Cancellous Bone Screw

3.5 mm Cortex Screws



**LCP Plate 4.5/5.0, Narrow**

**Specification:**

*Width 13.5 mm*

*Thickness 4.2 mm*

*Distance between center of holes 18.0 mm*

*Distance between central holes 12.8 mm*



titanium

stainless steel

**Sizes:**

Product No.		Holes	Length mm
Stainless Steel	Titanium		
219.080	519.080	4	80
219.098	519.098	5	98
219.116	519.116	6	116
219.134	519.134	7	134
219.152	519.152	8	152
219.170	519.170	9	170
219.188	519.188	10	188

Product No.		Holes	Length mm
Stainless Steel	Titanium		
219.206	519.206	11	206
219.224	519.224	12	224
219.242	519.242	13	242
219.260	519.260	14	260
219.278	519.278	15	278
219.296	519.296	16	296
219.314	519.314	17	314
219.332	519.332	18	332

**Note**

Fixation with the following Screws:

5.0mm Locking Screws

4.5mm Cortex Screws

6.5mm Cancellous bone Screws

# OSVEH Asia

## LCP Plate 4.5/5.0, Broad


### Specification:

*Width 17.5 mm*

*Thickness 5.2 mm*

*Distance between center of holes 18.0 mm*

*Distance between central holes 12.8 mm*



### Sizes:

Product No.		Holes	Length mm
stainless steel	titanium		
220.116	520.116	6	116
220.134	520.134	7	134
220.152	520.152	8	152
220.170	520.170	9	170
220.188	520.188	10	188
220.206	520.206	11	206
220.229	520.229	12	229

Product No.		Holes	Length mm
stainless steel	titanium		
220.242	520.242	13	242
220.260	520.260	14	260
220.278	520.278	15	278
220.296	520.296	16	296
220.314	520.314	17	314
220.332	520.332	18	332
220.368	520.368	20	368

### Note

Fixation with the following Screws:  
 5.0mm Locking  
 4.5mm Cortex  
 6.5mm Cancellous bone Screws.



### LCP Plate 3.5

**Specification:**

*Width 11.0 mm*

*Thickness 3.0 mm*

*Distance between center of holes 13.0 mm*

*Distance between central holes 9.4 mm*



**Sizes:**

Product No.		Holes	Length mm
stainless steel	titanium		
216.059	516.059	4	59
216.072	516.072	5	72
216.085	516.085	6	85
216.098	516.098	7	98
216.111	516.111	8	111
216.124	516.124	9	124

Product No.		Holes	Length mm
stainless steel	titanium		
216.137	516.137	10	137
216.150	516.150	11	150
216.163	516.163	12	163
216.176	516.176	13	176
216.189	516.189	14	189
216.202	516.202	15	202
216.215	516.215	16	215

**Note**

Fixation with the following Screws:

3.5mm Locking

3.5mm Cortex

4.0mm Cancellous bone Screws

# OSVEH Asia

## LCP T-Plate 4.5/5.0

### Specification:

*Width 17.0 mm*

*Thickness 2.5 mm*

*Distance between center of holes 16.0 mm*



### Sizes:

Product No.		Holes(shaft) Length	
stainless steel	titanium		mm
221.084	521.084	4	84
221.100	521.100	5	100
221.116	521.116	6	116
221.132	521.132	7	132
221.148	521.148	8	148
221.164	521.164	9	164

Product No.		Holes(shaft) Length	
stainless steel	titanium		mm
221.180	521.180	10	180
221.196	521.196	11	196
221.212	521.212	12	212
221.260	521.260	13	260
221.244	521.244	14	244
221.228	521.228	15	228
221.276	521.276	16	276

### Note

Fixation with the following Screws:

5.0mm Locking

4.5mm Cortex Screws

**LCP T-Buttress Plate 4.5/5.0**

**Specification:**

*Width 17.0 mm*

*Thickness 2.5 mm*

*Distance between center of holes 16.0 mm*



**Sizes:**

Product No.		Holes Length mm	
stainless steel	titanium		
224.081	524.081	4	81
224.097	524.097	5	97
224.113	524.113	6	113
224.129	524.129	7	129

Product No.		Holes Length mm	
stainless steel	titanium		
224.145	524.145	8	145
224.161	524.161	9	161
224.177	524.177	10	177
224.193	524.193	11	193
224.209	524.209	12	209

**Note**

Fixation with the following Screws:

4.5mm Cortex

5.0 Locking Screws

# OSVEH Asia


## LCP L-Buttress Plate 4.5/5.0, right leg

### Specification:

*Width 16.0 mm*

*Thickness 2.5 mm*

*Distance between center of holes 16.0 mm*



### Sizes:

Product No.		Holes	Length mm
stainless steel	titanium		
222.072	522.072	3	72
222.088	522.088	4	88
222.104	522.104	5	104
222.120	522.120	6	120

Product No.		Holes	Length mm
stainless steel	titanium		
222.136	522.136	7	136
222.152	522.152	8	152
222.168	522.168	9	168
222.184	522.184	10	184

### Note

Fixation with the following Screws:

5.0mm Locking

4.5mm Cortex Screws



**LCP L-Buttress Plate 4.5/5.0, left leg**

**Specification:**

*Width 16.0 mm*

*Thickness 2.5 mm*

*Distance between center of holes 16.0 mm*



**Sizes:**

Product No.		Holes	Length mm
stainless steel	titanium		
223.072	523.072	3	72
223.088	523.088	4	88
223.104	523.104	5	104
223.120	523.120	6	120

Product No.		Holes	Length mm
stainless steel	titanium		
223.136	523.136	7	136
223.152	523.152	8	152
223.168	523.168	9	168
223.184	523.184	10	184

**Note**

Fixation with the following Screws:

5.0mm Locking

4.5mm Cortex Screws

# OSVEH Asia

## LCP T-Plate 3.5, right-angled, 3 Holes Head

### Specification:

*Width 10.0 mm*

*Thickness 1.5 mm*

*Distance between center of holes 11.0 mm*



### Sizes:

Product No.		Holes (head)	Holes (shaft)	Length mm
stainless steel	titanium	3	3	45
217.045	517.045	3	4	56
217.056	517.056	3	5	67

Product No.		Holes (head)	Holes (shaft)	Length mm
stainless steel	titanium	3	6	78
217.078	517.078	3	7	89
217.089	517.089	3	8	100

### Note

Head holes accept 3.5mm Locking Screws.

Shaft holes accept 3.5mm Locking and 3.5mm Cortex and 4.0mm Cancellous Bone Screws.




**LCP T-Plate 3.5, right-angled, 4 Holes Head**

**Specification:**

*Width 10.0 mm*

*Thickness 1.5 mm*

*Distance between center of holes 11.0 mm*



**Sizes:**

Product No.		Holes (head)	Holes (shaft)	Length mm
stainless steel	titanium	4	3	45
218.045	518.045	4	3	45
218.056	518.056	4	4	56
218.067	518.067	4	5	67

Product No.		Holes (head)	Holes (shaft)	Length mm
stainless steel	titanium	4	6	78
218.078	518.078	4	6	78
218.089	518.089	4	7	89
218.100	518.100	4	8	100

**Note**

Head holes accept 3.5mm Locking Screws.

Shaft holes accept 3.5mm Locking and 3.5mm Cortex and 4.0mm Cancellous Bone Screws.

# OSVEH Asia

## LCP T-Plate 3.5, oblique-angled, right & left

### Specification:

*Width 10.0 mm*

*Thickness 1.5 mm*

*Distance between center holes 11.0 mm*



### Sizes:

Product No.		Holes (head)	Holes (shaft)	Length mm	
stainless steel	titanium				
252.052	552.052	3	3	52	right
252.063	552.063	3	4	63	right
252.074	552.074	3	5	74	right
252.085	552.085	3	6	85	right
252.096	552.096	3	7	96	right
252.107	552.107	3	8	107	right

Product No.		Holes (head)	Holes (shaft)	Length mm	
stainless steel	titanium				
253.052	553.052	3	3	52	left
253.063	553.063	3	4	63	left
253.074	553.074	3	5	74	left
253.085	553.085	3	6	85	left
253.096	553.096	3	7	96	left
253.107	553.107	3	8	107	left

### Note

Head holes accept 3.5mm Locking Screws.

Shaft holes accept 3.5mm Locking and 3.5mm Cortex and 4.0mm Cancellous Bone Screws.



**LCP Reconstruction Plate 3.5, Straight**


**Specification:**

*Width 10.0 mm*

*Thickness 3.0 mm*

*Distance between center of holes 14.0 mm*

*Distance between central holes 9.5 mm*



**Sizes:**

Product No.		Holes	Length mm
stainless steel	titanium		
225.071	525.071	5	71
225.085	525.085	6	85
225.099	525.099	7	99
225.113	525.113	8	113
225.127	525.127	9	127
225.141	525.141	10	141

Product No.		Holes	Length mm
stainless steel	titanium		
225.169	525.169	12	169
225.197	525.197	14	197
225.225	525.225	16	225
225.253	525.253	18	253
225.281	525.281	20	281
225.309	525.309	22	309

**Note**

Fixation with the following Screws:  
 3.5mm Locking  
 3.5mm Cortex  
 4.0mm Cancellous bone Screws